Along with optional FPU, MPU, µDMA, Real-Time Trace and ARConnect for multicore integration, the EM Family also offers an Enhanced Security Package , which provides tamper protection features and enables designers to create a trusted execution environment that protects their systems and software from evolving security threats.

In addition, the CryptoPack option for EM cores uses ARC Processor EXtension (APEX) technology to accelerate common cryptographic software algorithms.

The Synopsys ARC SEM Family includes the ARCv2 ISA-based ARC SEM110 and SEM120D security processors to protect against logical, hardware and physical attacks. The SEM processors include a secure MPU that enables the creation of a Trusted Execution Environment (TEE) to protect secure functions from software vulnerabilities. The ARC SEM110 is a 32-bit RISC core that is optimized for performance, power, and area efficiency. The ARC SEM120D has an added DSP instruction set and unified multiply/ MAC unit. The ARC CryptoPack, FPU and µDMA licensable options are available for the ARC SEM processors.

The ASIL D compliant ARC SEM130FS Safe and Secure Processor simplifies development of safety-critical automotive applications while enabling designers to integrate security into their SoC to protect against logical, hardware and physical attacks. The ARC SEM130FS processor is supported by a euX >Pn5ae1 ( )]TETEMCsnuk14up10 and Ss(TE7g ( )e acurycks. eation48te coolkEM1vS SatyEMCsnuk14up10

To support applications that require fast, real-time response, Synopsys offers MQX RTOS. MQX occupies a very small memory footprint and supports fast context switch times.

ARC processor cores are supported by open-source operating systems available from official project repositories. Synopsys enhances and maintains the Linux kernel and the Zephyr RTOS to run optimally on ARC processor cores.

The ARC Access Program expands the choice of embedded software and hardware solutions available for ARC and ARC-V processor IP. This program builds on the ecosystem of third parties supporting the ARC and RISC-V architectures with software development tools, real-time operating systems (RTOSes), middleware and stacks, semiconductor IP and design services.

The ARC Access Program helps customers to:

- Develop ARC-based embedded solutions faster by leveraging compatible products from leading embedded industry vendors
- Reduce project risk by taking advantage of design solutions pre-ported and tested for ARC processor IP
- Save on development costs and resources by using products optimized for ARC-based designs

The ARC EM Software Development Platform accelerates software development and debug of ARC EM processor-based system-on-chips (SoCs) for a wide range of ultra-low power embedded applications such as IoT, sensor fusion, and voice applications. The ARC EM Software Development Platform includes a configurable hardware board with commonly used peripherals including motion sensors, flash memory, Bluetooth, and Wi-Fi and is extensible with Arduino, mikroBUS and Pmod connectors. Downloadable platform packages with hardware and software configuration information are available, providing a flexible software development platform.



The ARC HS Development Kits are ready-to-use software development platforms that include a multicore ARC HS3x-based or ARC HS4xD-based chip, implemented in a TSMC 28HPM process, that integrates a wide range of interfaces including Ethernet, USB, SDIO, I2C, SPI, UART, and GPIO, as well as a GPU. The kit also features an on-board WiFi and Bluetooth module. This combination of ARC HS processors and the comprehensive set of peripherals allow developers to build and debug complex software on a fully-featured hardware platform. Software support includes ARC

ARC NPX6FS NPU Family–AI/Neural Processing								
	NPX6FS 1K	NPX6FS 4K	NPX6FS 8K	NPX6FS 16K	NPX6FS 32K	NPX6FS 48K	NPX6FS 64K	NPX6FS 96K

ARC EM Family—Ultra-Compact, Ultra Low-Power Processors for Deeply Embedded Applications							
Key Features	EM4	EM6	EM5D	EM7D	EM9D	EM11D	EM22FS